














# WAKIE036 FR-300

## Conjunto de 2 walkie-talkies 16 canales 10km









**14** Seleccionar canal

1x




**15** CTCSS  
Seleccionar canal (ver términos)

2x



CTCSS




00 = off




OK

**16** DCS  
Seleccionar canal (ver términos)

3x



DCS




00 = off




OK

**17** VOX  
Sensibilidad (ver términos)

4x



VOX




Off = no VOX




OK

**18** Escanear canal

5x




SCAN




+/- : SIGUIENTE  
CÓDIGO

**19** CTCSS  
Escanear  
(ver  
términos)

6x




SCAN  
CTCSS





+/- : SIGUIENTE  
CÓDIGO

**20** DCS  
Escanear  
(ver  
términos)

7x





SCAN  
DCS





+/- : SIGUIENTE  
CÓDIGO

**21** Establecer  
el tono

8x



**22** Establecer la señal de llamada





1 = =



2 = = + buzz  
buzz  
buzz

3 = = buzz  
buzz  
buzz

**23** Tono




**24** Tono teclas




25 Recibir 2 canales (ver términos)

12x



DCM



Select 2<sup>nd</sup> channel




OK

\*Select "OF" to stop 2 channel scan

26







8sec






27 Alimentación por cargador

Units off!



28 Alimentación por cable




## DECLARATION OF CONFORMITY

This device complies with the essential requirements and provisions as described in the European Directive 2014/53/EU.

This declaration of conformity is available at: <http://DOC.hesdo.com/FR-300.pdf>

Use only supplied adapter



Input: 100-240V~  
50/60Hz 100mA  
Output: 5V  550mA  
Model: TGE050P055



Frequency Range : 446.00625 - 446.19375 MHz  
Maximum Power : < 6,5 dBm

Hesdo bv.  
Aziëlaan 12, 5232 BA  
's-Hertogenbosch  
The Netherlands

[www.alecto.com](http://www.alecto.com)



v1.0